



Lisbon School
of Economics
& Management
Universidade de Lisboa




CONCEPTS AND TOOLS

Carlos J. Costa

- Hardware
- Software
- Operating System
- Programming Languages
- Algorithm
- Compiler
- Interpreter

- Operating Systems?


Software




Operating System

- From a functional standpoint, an operating system
 - is a set of programs that acts as an intermediary between hardware and its users,
 - providing high level interface to low level hardware resources (such as CPU, memory, I / O devices). .


Microsoft Family



Unix Family




Software



- System Software
 - Operating System
 - Compilers
 - DBMS (Data Base Management Systems)
 - Libraries
 - ...
- Applications

Programming

- Algorithm
- Programming Language
- Computer Program



```
31
32 self.file = None
33 self.fingerprints = set()
34 self.logdupes = True
35 self.debug = debug
36 self.logger = logging.getLogger(__name__)
37 if path:
38     self.file = open(os.path.join(path, 'reports.log'),
39                     'a')
40     self.file.seek(0)
41     self.fingerprints.update(reports)
42
43 @classmethod
44 def from_settings(cls, settings):
45     debug = settings.getbool('REPORTING_DEBUG')
46     return cls(job_dir(settings), debug)
47
48 def request_seen(self, request):
49     fp = self.request_fingerprint(request)
50     if fp in self.fingerprints:
51         return True
52     self.fingerprints.add(fp)
53     if self.file:
54         self.file.write(fp + os.linesep)
55
56 def request_fingerprint(self, request):
57     return request_fingerprint(request)
```

Algorithm

- is a finite sequence of well-defined, instructions that solves a specific problem.

Programming Language


- is an artificial language including a set of instructions

Computer program

- is a sequence of instructions that can be executed by a computer to perform a specific task.



Compiler and Interpreter

- Typically converts:



```
31 def __init__(self, request):
32     self.file = None
33     self.fingerprints = set()
34     self.logdupes = True
35     self.debug = debug
36     self.logger = logging.getLogger(__name__)
37     if path:
38         self.file = open(os.path.join(path, "requests.log"),
39                         "a")
40         self.file.seek(0)
41         self.fingerprints.update(self.request)
42
43 @classmethod
44 def from_settings(cls, settings):
45     debug = settings.getbool("requests_log_debug")
46     return cls(job_dir(settings), debug)
47
48 def request_seen(self, request):
49     fp = self.request_fingerprint(request)
50     if fp in self.fingerprints:
51         return True
52     self.fingerprints.add(fp)
53     if self.file:
54         self.file.write(fp + os.linesep)
55
56 def request_fingerprint(self, request):
57     return request_fingerprint(request)
```


high level language
(which the programmer easily
perceives)



```
00000000 0000 0001 0001 1010 0010 0001 0004 0128
00000010 0000 0016 0000 0028 0000 0010 0000 0020
00000020 0000 0001 0004 0000 0000 0000 0000 0000
00000030 0000 0000 0000 0010 0000 0000 0000 0204
00000040 0004 8384 0084 c7c8 00c8 4748 0048 e8e9
00000050 00e9 6a69 0069 a8a9 00a9 2828 0028 fdfc
00000060 00fc 1019 0019 9898 0098 d9d8 00d8 5857
00000070 0057 7b7a 007a bab9 00b9 3a3c 003c 8888
00000080 8888 8888 8888 8888 288e be88 8888 8888
00000090 3b83 5788 8888 8888 7667 778e 8828 8888
000000a0 d61f 7abd 8818 8888 467c 585f 8814 8188
000000b0 8b06 e8f7 88aa 8388 8b3b 88f3 88bd e988
000000c0 8a18 880c e841 c988 b328 6871 688e 958b
000000d0 a948 5862 5884 7e81 3788 1ab4 5a84 3eac
000000e0 3d86 dc88 5cbb 8888 8888 8888 8888 8888
000000f0 8888 8888 8888 8888 8888 8888 8888 0000
00001000 0000 0000 0000 0000 0000 0000 0000
*
00001300 0000 0000 0000 0000 0000 0000 0000
0000130e
```

machine-perceived
language.

Compiler



Interpreter



Interpreter

- It is a Software
- It has control over translation and execution.
- It takes the code and as translates it to lower level language and controls its execution.

Interpreter



- is a free and open source distributed version control system designed to handle projects. Includes: Control version, repository



- Platform that hosts source code. Uses git.

Conclusion

- Hardware and Software
- Operating System
- Programming Languages, Algorithm and Program
- Compiler vs. Interpreter

References

- Anthony Ralston, Edwin D. Reilly, and David Hemmendinger (2003). *Encyclopedia of Computer Science* (4th ed.). John Wiley and Sons Ltd., Chichester, UK.
- Daintith, J., & Wright, E. (2008). *A Dictionary of Computing*. : Oxford University Press
- Downey, A. (2012). *Think Python*. 2nd Edition O'Reilly Media, Inc.