

Statistical Tables

TABLE G.1

Cumulative Areas under the Standard Normal Distribution

z	0	1	2	3	4	5	6	7	8	9
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483

(continued)

TABLE G.2

Critical Values of the t Distribution

	Significance Level									
	1-Tailed:		.05		.025		.01		.005	
2-Tailed:	.10	.20	.10	.20	.05	.10	.05	.10	.05	.10
1	3.078	6.314	12.706	31.821	6.314	12.706	31.821	6.314	12.706	31.821
2	1.886	2.920	4.303	6.965	2.920	4.303	6.965	2.920	4.303	6.965
3	1.638	2.353	3.182	4.541	2.353	3.182	4.541	2.353	3.182	4.541
4	1.533	2.132	2.776	3.747	2.132	2.776	3.747	2.132	2.776	3.747
5	1.476	2.015	2.571	3.365	2.015	2.571	3.365	2.015	2.571	3.365
6	1.440	1.943	2.447	3.143	1.943	2.447	3.143	1.943	2.447	3.143
7	1.415	1.895	2.365	2.998	1.895	2.365	2.998	1.895	2.365	2.998
8	1.397	1.860	2.306	2.896	1.860	2.306	2.896	1.860	2.306	2.896
9	1.383	1.833	2.262	2.821	1.833	2.262	2.821	1.833	2.262	2.821
10	1.372	1.812	2.228	2.764	1.812	2.228	2.764	1.812	2.228	2.764
11	1.363	1.796	2.201	2.718	1.796	2.201	2.718	1.796	2.201	2.718
12	1.356	1.782	2.179	2.681	1.782	2.179	2.681	1.782	2.179	2.681
13	1.350	1.771	2.160	2.650	1.771	2.160	2.650	1.771	2.160	2.650
14	1.345	1.761	2.145	2.624	1.761	2.145	2.624	1.761	2.145	2.624
15	1.341	1.753	2.131	2.602	1.753	2.131	2.602	1.753	2.131	2.602
16	1.337	1.746	2.120	2.583	1.746	2.120	2.583	1.746	2.120	2.583
17	1.333	1.740	2.110	2.567	1.740	2.110	2.567	1.740	2.110	2.567
18	1.330	1.734	2.101	2.552	1.734	2.101	2.552	1.734	2.101	2.552
19	1.328	1.729	2.093	2.539	1.729	2.093	2.539	1.729	2.093	2.539
20	1.325	1.725	2.086	2.528	1.725	2.086	2.528	1.725	2.086	2.528
21	1.323	1.721	2.080	2.518	1.721	2.080	2.518	1.721	2.080	2.518
22	1.321	1.717	2.074	2.508	1.717	2.074	2.508	1.717	2.074	2.508
23	1.319	1.714	2.069	2.500	1.714	2.069	2.500	1.714	2.069	2.500
24	1.318	1.711	2.064	2.492	1.711	2.064	2.492	1.711	2.064	2.492
25	1.316	1.708	2.060	2.485	1.708	2.060	2.485	1.708	2.060	2.485
26	1.315	1.706	2.056	2.479	1.706	2.056	2.479	1.706	2.056	2.479
27	1.314	1.703	2.052	2.473	1.703	2.052	2.473	1.703	2.052	2.473
28	1.313	1.701	2.048	2.467	1.701	2.048	2.467	1.701	2.048	2.467
29	1.311	1.699	2.045	2.462	1.699	2.045	2.462	1.699	2.045	2.462
30	1.310	1.697	2.042	2.457	1.697	2.042	2.457	1.697	2.042	2.457
40	1.303	1.684	2.021	2.423	1.684	2.021	2.423	1.684	2.021	2.423
60	1.296	1.671	2.000	2.390	1.671	2.000	2.390	1.671	2.000	2.390
90	1.291	1.662	1.987	2.368	1.662	1.987	2.368	1.662	1.987	2.368
120	1.289	1.658	1.980	2.358	1.658	1.980	2.358	1.658	1.980	2.358
∞	1.282	1.645	1.960	2.326	1.645	1.960	2.326	1.645	1.960	2.326

D e g r e e s o f F r e e d o m

Examples: The 1% critical value for a one-tailed test with 25 df is 2.485. The 5% critical value for a two-tailed test with large (> 120) df is 1.96.
Source: This table was generated using the Stata® function invttail.

TABLE G.1 (Continued)

z	0	1	2	3	4	5	6	7	8	9
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9988	0.9989	0.9989	0.9990	0.9990

Examples: If $Z \sim \text{Normal}(0,1)$, then $P(Z \leq -1.32) = .0934$ and $P(Z \leq 1.84) = .9671$.
Source: This table was generated using the Stata® function jormprob.

TABLE G.35

5% Critical Values of the F Distribution

		Numerator Degrees of Freedom										
		1	2	3	4	5	6	7	8	9	10	
D e n o m i n a t o r	10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	
	11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	
	12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	
	13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	
	14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	
	15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	
	16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	
	17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	
	18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	
	19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	
	D e g r e e s o f F r e e d o m	20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35
		21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32
		22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30
		23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27
24		4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	
25		4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	
26		4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	
27		4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	
28		4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	
29		4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	
30		4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	
40		4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	
60		4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	
90		3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91		
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83		

Example: The 5% critical value for numerator $df = 4$ and large denominator $df(\infty)$ is 2.37.
Source: This table was generated using the Stat[®] function invFtail.

TABLE G.36

10% Critical Values of the F Distribution

		Numerator Degrees of Freedom										
		1	2	3	4	5	6	7	8	9	10	
D e n o m i n a t o r	10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32	
	11	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25	
	12	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19	
	13	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14	
	14	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10	
	15	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06	
	16	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03	
	17	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00	
	18	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98	
	19	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96	
	D e g r e e s o f F r e e d o m	20	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94
		21	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92
		22	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90
		23	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92	1.89
24		2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88	
25		2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	1.87	
26		2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.86	
27		2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	1.85	
28		2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84	
29		2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86	1.83	
30		2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82	
40		2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79	1.76	
60		2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71	
90		2.76	2.36	2.15	2.01	1.91	1.84	1.78	1.74	1.70	1.67	
120	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65		
∞	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60		

Example: The 10% critical value for numerator $df = 2$ and denominator $df = 40$ is 2.44.
Source: This table was generated using the Stat[®] function invFtail.

TABLE G-3C

1% Critical Values of the F Distribution

		Numerator Degrees of Freedom									
		1	2	3	4	5	6	7	8	9	10
D e n o m i n a t o r D e g r e e s o f F r e e d o m	10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85
	11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54
	12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30
	13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10
	14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94
	15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80
	16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69
	17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59
	18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51
	19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43
	20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37
	21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31
	22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26
	23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21
	24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17
	25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13
	26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09
	27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06
	28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03
	29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00
	30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98
	40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80
	60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63
	90	6.93	4.85	4.01	3.54	3.23	3.01	2.84	2.72	2.61	2.52
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	
∞	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	

Example: The 1% critical value for numerator $df = 3$ and denominator $df = 60$ is 4.13.

Source: This table was generated using the Stata® function invFtail.

TABLE G-4

Critical Values of the Chi-Square Distribution

	Significance Level		
	.10	.05	.01
1	2.71	3.84	6.63
2	4.61	5.99	9.21
3	6.25	7.81	11.34
4	7.78	9.49	13.28
5	9.24	11.07	15.09
6	10.64	12.59	16.81
7	12.02	14.07	18.48
8	13.36	15.51	20.09
9	14.68	16.92	21.67
10	15.99	18.31	23.21
11	17.28	19.68	24.72
12	18.55	21.03	26.22
13	19.81	22.36	27.69
14	21.06	23.68	29.14
15	22.31	25.00	30.58
16	23.54	26.30	32.00
17	24.77	27.59	33.41
18	25.99	28.87	34.81
19	27.20	30.14	36.19
20	28.41	31.41	37.57
21	29.62	32.67	38.93
22	30.81	33.92	40.29
23	32.01	35.17	41.64
24	33.20	36.42	42.98
25	34.38	37.65	44.31
26	35.56	38.89	45.64
27	36.74	40.11	46.96
28	37.92	41.34	48.28
29	39.09	42.56	49.59
30	40.26	43.77	50.89

Example: The 5% critical value with $df = 8$ is 15.51.

Source: This table was generated using the Stata® function invchi2tail.

Critical Values of the Engle Granger test Statistic

Critical Values of the ADF test Statistic			Critical Values of the Engle Granger test Statistic			
Model	Significance Level (%)	Critical Values	Number of regressors	Model	Significance Level (%)	Critical Values
No constant, no Trend	1	-2.5658	1	Constant, no trend	1	-3.9001
	5	-1.9393			5	-3.3377
	10	-1.6156			10	-3.0462
Constant, no trend	1	-3.4336	1	Constant + trend	1	-4.3266
	5	-2.8621			5	-3.7809
	10	-2.5671			10	-3.4959
Constant + trend	1	-3.9638	2	Constant, no trend	1	-4.2981
	5	-3.4126			5	-3.7429
	10	-3.1279			10	-3.4518
			2	Constant + trend	1	-4.6676
					5	-4.1193
					10	-3.8344
			3	Constant, no trend	1	-4.6493
					5	-4.1
					10	-3.811
			3	Constant + trend	1	-4.9695
					5	-4.4294
					10	-4.1474
			4	Constant, no trend	1	-4.9587
					5	-4.4185
					10	-4.1327
			4	Constant + trend	1	-5.2497
					5	-4.7154
					10	-4.4345
			5	Constant, no trend	1	-5.24
					5	-4.7048
					10	-4.4242
			5	Constant +trend	1	-5.5127
					5	-4.9767
					10	-4.6999

Source: James MacKinnon (1991) "Critical Values for Cointegration Tests", in Engle, R. and Granger, C. Long-Run Economic Relationships, Oxford University Press.