

AND(logical1, [logical2], ...)
AVERAGE(number1, [number2], ...)
AVERAGEIF(range, criteria, [average_range])
CONCATENATE(text1, [text2], ...)
COUNT(value1, [value2], ...)
COUNTA(value1, [value2], ...)
COUNTIF(range, criteria)
DATE(year,month,day)
DAY(serial_number)
FALSE()
FIND(find_text, within_text, [start_num])
FV(rate,nper,pmt,[pv],[type])
HLOOKUP(lookup_value, table_array, row_index_num, [range_lookup])
HOUR(serial_number)
IF(logical_test, [value_if_true], [value_if_false])
IFERROR(value, value_if_error)
INT(number)
IPMT(rate, per, nper, pv, [fv], [type])
IRR(values, [guess])
ISBLANK (value)
ISERROR (value)
ISNUMBER (value)
ISTEXT (value)
LEFT(text, [num_chars])
LEN (text)
LOWER (Text)
MAX(number1, [number2], ...)
MEDIAN(number1, [number2], ...)
MID(text, start_num, num_chars)
MIN(number1, [number2], ...)
MINUTE(serial_number)
MODE(number1,[number2],...)
MONTH(serial_number)
NOT(logical)

NOW()
NPER(rate,pmt,pv,[fv],[type])
NPV(rate,value1,[value2],...)
OR(logical1, [logical2], ...)
PMT(rate, nper, pv, [fv], [type])
PPMT(rate, per, nper, pv, [fv], [type])
PROPER (Text)
PV(rate, nper, pmt, [fv], [type])
RATE(nper, pmt, pv, [fv], [type], [guess])
RIGHT(text, [num_chars])
ROUND(number, num_digits)
SECOND(serial_number)
STDEVA(value1, [value2], ...)
STDEVP(number1,[number2],...)
SUBSTITUTE(text, old_text, new_text, [instance_num])
SUM(number1,[number2],...)
SUMIF(range, criteria, [sum_range])
TEXT(value, format_text)
TIME(hour, minute, second)
TODAY()
TRIM (text)
TRUE()
UPPER(text)
VALUE(text)
VAR(number1,[number2],...)
VARP(number1,[number2],...)
VLOOKUP(lookup_value, table_array, col_index_num, [range_lookup])
WEEKDAY(serial_number,[return_type])
YEAR(serial_number)