

# Lab 2

(Prof. Carlos J. Costa)

1) Construct a list (shoppingList) including 'potatoes', 'carrots', 'cod' and 'sprouts'

▶ In [1]: `#Code here`

2) Get the second and the last element of the list

▶ In [2]: `#Code here`

3) Iterate though the list in order that the users see the following list of phrases: "We should eate sprouts", "We should eate carrots"...

▶ In [3]: `#Code here.`

4) Add the follwoing elements to the shoppingList: orange and lime

▶ In [4]: `#Code here`

5) Remove the carrots, the first element and last element of the shoppingList list

▶ In [5]: `#Code here`

6) How many fruits are there in the shopping list

▶ In [6]: `#Code here`

7) Obtain the first 3 elements of the list

▶ In [7]: `#Code here`

8) Add the movie "Ananas" in the 3th position

▶ In [ ]:

9) Reverse the list

▶ In [ ]: `#Code here`

**10) Sort the list**

▶ In [ ]:

**11) What is the result of**

```
shopping = shoppingList  
shoppingListCopy = shoppingList[:]  
print(shopping)  
  
Why?
```

▶ In [8]:

**12) What is the result of**

```
shopping = shoppingList  
shoppingList.append("orange")  
print(shopping)  
  
Why?
```

▶ In [9]:

**13) remove all the items from the shoppingList**

▶ In [10]:

**14) What is the result of,**

```
newPurchases= ("bananas", "beans", "rice")  
print (newPurchases [1])  
newPurchases [0] = "apple"  
  
Why?
```

▶ In [11]:

**15) Create a dictionary including the following elements: orange, apple, pear, grape and peach. Key are 1 to 5. Iterate through key-value pair. The result must be "orange e number 1"...**

▶ In [12]: `#Code here`

▶ In [13]:

**16) Create a weekList that is composed of several lists, each one corresponding to a day.**

▶ In [ ]:

**17) Delete the shoppingList list**

▶ In [14]: `#Code here`

**18) Create a list where x is belongs to a list of values from 1 to 100 and you want to generate a new list of y.**

$$y = 3x^2 + 2x + 4$$

▶ In [15]: `#Code here`