



Statistical Tables

TABLE G.1 Cumulative Areas under the Standard Normal Distribution

z	0	1	2	3	4	5	6	7	8	9
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776

(continued)

TABLE G.1 (Continued)

z	0	1	2	3	4	5	6	7	8	9
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990

Examples: If $Z \sim \text{Normal}(0,1)$, then $P(Z \leq -1.32) = .0934$ and $P(Z \leq 1.84) = .9671$.

Source: This table was generated using the Stata® function normprob.

TABLE G.2 Critical Values of the *t* Distribution

	Significance Level				
1-Tailed:	.10	.05	.025	.01	.005
2-Tailed:	.20	.10	.05	.02	.01
1	3.078	6.314	12.706	31.821	63.657
2	1.886	2.920	4.303	6.965	9.925
3	1.638	2.353	3.182	4.541	5.841
4	1.533	2.132	2.776	3.747	4.604
5	1.476	2.015	2.571	3.365	4.032
6	1.440	1.943	2.447	3.143	3.707
7	1.415	1.895	2.365	2.998	3.499
8	1.397	1.860	2.306	2.896	3.355
9	1.383	1.833	2.262	2.821	3.250
D	10	1.372	1.812	2.228	2.764
e	11	1.363	1.796	2.201	2.718
g	12	1.356	1.782	2.179	2.681
r	13	1.350	1.771	2.160	2.650
e	14	1.345	1.761	2.145	2.624
e	15	1.341	1.753	2.131	2.602
s	16	1.337	1.746	2.120	2.583
o	17	1.333	1.740	2.110	2.567
f	18	1.330	1.734	2.101	2.552
	19	1.328	1.729	2.093	2.539
F	20	1.325	1.725	2.086	2.528
r	21	1.323	1.721	2.080	2.518
e	22	1.321	1.717	2.074	2.508
d	23	1.319	1.714	2.069	2.500
o	24	1.318	1.711	2.064	2.492
m	25	1.316	1.708	2.060	2.485
	26	1.315	1.706	2.056	2.479
	27	1.314	1.703	2.052	2.473
	28	1.313	1.701	2.048	2.467
	29	1.311	1.699	2.045	2.462
	30	1.310	1.697	2.042	2.457
	40	1.303	1.684	2.021	2.423
	60	1.296	1.671	2.000	2.390
	90	1.291	1.662	1.987	2.368
	120	1.289	1.658	1.980	2.358
	∞	1.282	1.645	1.960	2.326

© Cengage Learning, 2013

Examples: The 1% critical value for a one-tailed test with 25 *df* is 2.485. The 5% critical value for a two-tailed test with large (> 120) *df* is 1.96.

Source: This table was generated using the Stata® function invtail.

TABLE G.3a 10% Critical Values of the *F* Distribution

	Numerator Degrees of Freedom									
	1	2	3	4	5	6	7	8	9	10
D	10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35
e	11	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27
n	12	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21
o	13	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16
m	14	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12
i	15	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09
n	16	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06
a	17	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03
t	18	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00
o	19	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98
r	20	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96
D	21	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95
e	22	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93
r	23	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92
e	24	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91
s	25	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89
o	26	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88
f	27	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87
F	28	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87
r	29	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86
e	30	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85
e	40	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79
d	60	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74
o	90	2.76	2.36	2.15	2.01	1.91	1.84	1.78	1.74	1.70
m	120	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68
	∞	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63
										1.60

© Cengage Learning, 2013

Example: The 10% critical value for numerator $df = 2$ and denominator $df = 40$ is 2.44.

Source: This table was generated using the Stata® function invFtail.

TABLE G.3b 5% Critical Values of the *F* Distribution

	Numerator Degrees of Freedom									
	1	2	3	4	5	6	7	8	9	10
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85
D e n	12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
o m i	13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71
n a t	14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65
o r	15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
D e g r	16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54
e e s	17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49
D e g r	18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46
e e s	19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
D e g r	20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
e e s	21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
D e g r	22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34
e e s	23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32
D e g r	24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
e e s	25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28
D e g r	26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27
F r	27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25
e e d	28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
e e d	29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
D e g r	30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
D e g r	40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
D e g r	60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
D e g r	90	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99
D e g r	120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96
D e g r	∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88
D e g r										1.83

© Cengage Learning, 2013

Example: The 5% critical value for numerator $df = 4$ and large denominator $df(\infty)$ is 2.37.

Source: This table was generated using the Stata® function invFtail.

TABLE G.3c 1% Critical Values of the *F* Distribution

	Numerator Degrees of Freedom										
	1	2	3	4	5	6	7	8	9	10	
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	
D e n	12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30
o m i	13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10
n a t	14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94
r	15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80
D e g r	16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69
e e s	17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59
o f	18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51
F r	19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43
e e d o m	20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	
90	6.93	4.85	4.01	3.54	3.23	3.01	2.84	2.72	2.61	2.52	
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	
∞	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	

© Cengage Learning, 2013

Example: The 1% critical value for numerator $df = 3$ and denominator $df = 60$ is 4.13.

Source: This table was generated using the Stata® function invFtail.

TABLE G.4 Critical Values of the Chi-Square Distribution

Significance Level			
	.10	.05	.01
1	2.71	3.84	6.63
2	4.61	5.99	9.21
3	6.25	7.81	11.34
4	7.78	9.49	13.28
5	9.24	11.07	15.09
6	10.64	12.59	16.81
7	12.02	14.07	18.48
8	13.36	15.51	20.09
D	14.68	16.92	21.67
e	15.99	18.31	23.21
g	17.28	19.68	24.72
r	18.55	21.03	26.22
e	19.81	22.36	27.69
s	21.06	23.68	29.14
o	22.31	25.00	30.58
f	23.54	26.30	32.00
F	24.77	27.59	33.41
r	25.99	28.87	34.81
e	27.20	30.14	36.19
e	28.41	31.41	37.57
d	29.62	32.67	38.93
o	30.81	33.92	40.29
m	32.01	35.17	41.64
22	33.20	36.42	42.98
23	34.38	37.65	44.31
24	35.56	38.89	45.64
25	36.74	40.11	46.96
26	37.92	41.34	48.28
27	39.09	42.56	49.59
28	40.26	43.77	50.89

© Cengage Learning, 2013

Example: The 5% critical value with $df = 8$ is 15.51.*Source:* This table was generated using the Stata® function invchi2tail.